SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

BLACKBERRY FLAVOR NAT & ART

of the mixture

Registration number

Synonyms None.

Product code CA1400

Issue date 10-September-2015

Version number 03

Revision date 12-July-2016 Supersedes date 30-November-2015

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified usesUse in accordance with supplier's recommendations.

Uses advised against No other uses are advised.

1.3. Details of the supplier of the safety data sheet

Supplier

Company nameCapella Flavors, Inc.Address6155 Corte Del Cedro

Carlsbad, CA 92011 United States

Division

Telephone Office 760 650-0200

Fax n/a

e-mail customerservice@capellaflavors.com

Contact person Not available.

1.4. Emergency telephone CHEMTREC 800-424-9300

number

INTERNATIONAL 703-741-5500

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Directive 67/548/EEC or 1999/45/EC as amended

This preparation does not meet the criteria for classification according to Directive 1999/45/EC as amended.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary

Physical hazards Not classified for physical hazards.

Health hazards Not classified for health hazards. However, occupational exposure to the mixture or substance(s)

may cause adverse health effects.

Environmental hazards Not classified for hazards to the environment.

Specific hazards None known.

Main symptoms Direct contact with eyes may cause temporary irritation.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None.

Signal word None.

Hazard statements The mixture does not meet the criteria for classification.

Precautionary statements

Prevention Observe good industrial hygiene practices.

Response Wash hands after handling.

Material name: BLACKBERRY FLAVOR NAT & ART

CA1400 Version #: 03 Revision date: 12-July-2016 Issue date: 10-September-2015

Store away from incompatible materials. Storage

Dispose of waste and residues in accordance with local authority requirements. Disposal

Supplemental label information None.

None known. 2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

General information

Chemical name % CAS-No. / EC **REACH Registration No.** INDEX No. **Notes** No. **RASPBERRY KETONE #164** 1-<3 5471-51-2 226-806-4 Classification: DSD: Xn;R22

CLP: Acute Tox. 4;H302

Other components below reportable levels

List of abbreviations and symbols that may be used above

CLP: Regulation No. 1272/2008. DSD: Directive 67/548/EEC.

M: M-factor

vPvB: very persistent and very bioaccumulative substance. PBT: persistent, bioaccumulative and toxic substance.

#: This substance has been assigned Community workplace exposure limit(s).

Composition comments The full text for all R- and H-phrases is displayed in section 16.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Move to fresh air. Call a physician if symptoms develop or persist. Inhalation

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion 4.2. Most important symptoms Direct contact with eyes may cause temporary irritation.

and effects, both acute and

delayed

Treat symptomatically.

immediate medical attention and special treatment needed

4.3. Indication of any

SECTION 5: Firefighting measures

No unusual fire or explosion hazards noted. General fire hazards

5.1. Extinguishing media

Suitable extinguishing

Powder. Alcohol resistant foam. Carbon dioxide (CO2).

media

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising During fire, gases hazardous to health may be formed.

from the substance or mixture

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting

Move containers from fire area if you can do so without risk.

procedures Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

Material name: BLACKBERRY FLAVOR NAT & ART

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency Keep unnecessary personnel away. For personal protection, see section 8.

personnel

CA1400 Version #: 03 Revision date: 12-July-2016 Issue date: 10-September-2015

SDS FU

For emergency responders

Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions

6.3. Methods and material for containment and cleaning up Avoid discharge into drains, water courses or onto the ground.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use water spray to reduce vapours or divert vapour cloud drift. Absorb in vermiculite, dry sand or earth and place into containers.

Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to

remove residual contamination.

Never return spills to original containers for re-use.

6.4. Reference to other sections

For personal protection, see section 8. For waste disposal, see section 13 of the SDS.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe

Store in original tightly closed container. Store away from incompatible materials (see Section 10

of the SDS).

storage, including any incompatibilities

Not available. 7.3. Specific end use(s)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

NOM NFI (CAS 57-55-6) 10 mg/m3 150 ppm 150 pp	Components	Туре	Value	
Ireland. Occupational Exposure Limits Components Type Value Form Total vapour and particulates. 10 mg/m3 Particulate. 150 ppm Propylene GLYCOL TWA 7 mg/m3 Particulates. 150 ppm Propylene GLYCOL TWA 7 mg/m3 Particulates. 150 ppm Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) 125 ppm UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form Total vapour and particulates. 10 mg/m3 10 mg/m3 150 ppm Total vapour and particulates. Promomended monitoring Follow standard monitoring procedures.		MAC	10 mg/m3	
Type Value Form	,		150 ppm	
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 470 mg/m3 10 mg/m3 150 ppm Particulates.	Ireland. Occupational Expos	ure Limits		
NOM NFI (CAS 57-55-6) 10 mg/m3 150 ppm Particulates. Particulates. Particulates. Particulates. 150 ppm Particulates.	Components	Туре	Value	Form
Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Now Nome of the ingredient (s). Total vapour and particulates. 10 mg/m3 150 ppm Total vapour and particulates. Particulate. Total vapour and particulates. Follow standard monitoring procedures.	PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TWA	470 mg/m3	
Latvia. OELs. Occupational exposure limit values of chemical substances in work environment Components Type Value PROPYLENE GLYCOL TWA 7 mg/m3 NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL TWA 7 mg/m3 NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL TLV 79 mg/m3 NOM NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 Particulate. 150 ppm Particulates. Total vapour and particulates. Total vapour and particulates. Total vapour and particulates. Popical limit values No biological exposure limits noted for the ingredient(s).			10 mg/m3	•
Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) NOW NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. Particulate. PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) NOW NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. Particulate. Particulate. Promponents No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures.			150 ppm	
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL TLV 79 mg/m3 25 ppm UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 Particulates. 10 mg/m3 Particulates. 150 ppm Total vapour and particulates. Particulates. Pogical limit values No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures.	-		ances in work environment	
NOM NFI (CAS 57-55-6) Lithuania. OELs. Limit Values for Chemical Substances, General Requirements Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) NOM NFI (CAS 57-55-6) TLV T9 mg/m3 NOM NFI (CAS 57-55-6) 25 ppm UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 150 ppm Total vapour and particulate. 150 ppm Total vapour and particulates.	Components	Туре	Value	
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Type Value Form TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 Particulate. 150 ppm Total vapour and particulates. Total vapour and particulates. Follow standard monitoring procedures. Follow standard monitoring procedures.	PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TWA	7 mg/m3	
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Type Value Form TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 Particulate. 150 ppm Total vapour and particulates. Propylene Glycol NOM NFI (CAS 57-55-6) Total vapour and particulates.	Lithuania. OELs. Limit Value	es for Chemical Substances, General Re	quirements	
NOM NFI (CAS 57-55-6) Norway. Administrative Norms for Contaminants in the Workplace Components Type Value PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 Particulate. 150 ppm Total vapour and particulates. Propylene Imit values No biological exposure limits noted for the ingredient(s). Total vapour and particulates. Propylene Glycol Nommended monitoring Follow standard monitoring procedures.	Components	Туре	Value	
Components Type PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) Type Value Form Total vapour and particulates. 10 mg/m3 Particulate. 150 ppm Total vapour and particulates. Particulate. Propylene GLYCOL NOM NFI (CAS 57-55-6) No biological exposure limits noted for the ingredient(s). Total vapour and particulates. Pogical limit values No biological exposure limits noted for the ingredient(s). Total vapour and particulates. Total vapour and particulates. Pogical limit values Follow standard monitoring procedures.		TWA	7 mg/m3	
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 Particulate. 150 ppm Total vapour and particulates. Particulate. Follow standard monitoring procedures. Propylene Glycol No biological exposure limits noted for the ingredient(s). Propylene Glycol No biological exposure limits noted for the ingredient(s). Propylene Glycol No manuel Brown Follow standard monitoring procedures. Propylene Glycol No biological exposure limits noted for the ingredient(s). Propylene Glycol No biological exposure limits noted for the ingredient(s). Propylene Glycol No biological exposure limits noted for the ingredient(s). Propylene Glycol No manuel Brown Follow standard monitoring procedures.	Norway. Administrative Norn	ns for Contaminants in the Workplace		
NOM NFI (CAS 57-55-6) 25 ppm UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) 10 mg/m3 particulates. 150 ppm Total vapour and particulates. 150 ppm Total vapour and particulates. Pogical limit values No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures. edures	Components	Туре	Value	
UK. EH40 Workplace Exposure Limits (WELs) Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. 10 mg/m3 Particulate. Total vapour and particulates. Total vapour and particulates. Promitive procedures Promitive procedures No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures.	PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TLV	79 mg/m3	
Components Type Value Form PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. Particulate. Total vapour and particulates. Particulate. Total vapour and particulates. Pogical limit values No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures.			25 ppm	
PROPYLENE GLYCOL NOM NFI (CAS 57-55-6) TWA 474 mg/m3 Total vapour and particulates. Particulate. Total vapour and particulates. Particulate. Total vapour and particulates. Pogical limit values No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures.	UK. EH40 Workplace Exposu	ıre Limits (WELs)		
NOM NFI (CAS 57-55-6) particulates. 10 mg/m3 150 ppm Total vapour and particulates. Particulate. Total vapour and particulates. Pogical limit values No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures. Particulates.	Components	Туре	Value	Form
10 mg/m3 Particulate. 150 ppm Total vapour and particulates. Description of the ingredient (s). Total vapour and particulates. Description of the ingredient (s). Follow standard monitoring procedures.	PROPYLENE GLYCOL NOM NFI (CAS 57-55-6)	TWA	474 mg/m3	
particulates. No biological exposure limits noted for the ingredient(s). Follow standard monitoring procedures. redures			•	
pmmended monitoring Follow standard monitoring procedures. edures			150 ppm	
edures	ogical limit values	No biological exposure limits noted for the ingredient(s).		
		Follow standard monitoring procedures.		
	ved no-effect level (DNEL)	Not available.		

Material name: BLACKBERRY FLAVOR NAT & ART

CA1400 Version #: 03 Revision date: 12-July-2016 Issue date: 10-September-2015

Predicted no effect concentrations (PNECs) Not available.

8.2. Exposure controls

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

General information Personal protection equipment should be chosen according to the CEN standards and in

discussion with the supplier of the personal protective equipment.

Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove - Hand protection

supplier.

Wear suitable protective clothing. - Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment.

Wear appropriate thermal protective clothing, when necessary. Thermal hazards

Hygiene measures Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid. **Form** Liquid.

Colour Not available. Not available. Odour **Odour threshold** Not available. Ha Not available.

Melting point/freezing point -59 °C (-74,2 °F) estimated Initial boiling point and boiling 188,2 °C (370,76 °F) estimated

range

Flash point 82,2 °C (180,0 °F)

Evaporation rate Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

(%)

0,17 hPa estimated Vapour pressure Vapour density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Not available Solubility (other) Not available. Partition coefficient Not available.

(n-octanol/water)

371,11 °C (700 °F) estimated **Auto-ignition temperature**

Decomposition temperature Not available. **Viscosity** Not available. Not explosive. **Explosive properties Oxidizing properties** Not oxidizing.

Material name: BLACKBERRY FLAVOR NAT & ART

Revision date: 12-July-2016 Issue date: 10-September-2015 CA1400 Version #: 03

9.2. Other information

Refractive index 1,418 - 1,448 1,02 - 1,05 Specific gravity

SECTION 10: Stability and reactivity

10.1. Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

10.4. Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

10.5. Incompatible materials Strong oxidising agents.

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of

occupational exposure.

Symptoms Exposure may cause temporary irritation, redness, or discomfort.

11.1. Information on toxicological effects

Acute toxicity No data available.

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible. Carcinogenicity Due to partial or complete lack of data the classification is not possible. Reproductive toxicity Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information This product has no known adverse effect on human health.

SECTION 12: Ecological information

12.1. Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

12.2. Persistence and

degradability

No data is available on the degradability of this product.

12.3. Bioaccumulative potential

Bioconcentration factor (BCF) Not available. 12.4. Mobility in soil No data available. 12.5. Results of PBT Not available.

and vPvB assessment

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation 12.6. Other adverse effects potential, endocrine disruption, global warming potential) are expected from this component.

SECTION 13: Disposal considerations

Material name: BLACKBERRY FLAVOR NAT & ART

13.1. Waste treatment methods

Residual wasteDispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code

The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/informationCollect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautions Dispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

Not regulated as dangerous goods.

RID

Not regulated as dangerous goods.

ADN

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

14.7. Transport in bulk

Not established.

according to Annex II of MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I, as amended

Not listed.

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 1 as amended

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 2 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex I, part 3 as amended Not listed.

Regulation (EC) No. 689/2008 concerning the export and import of dangerous chemicals, Annex V as amended Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorization, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended Not listed.

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Not listed

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended

Not listed.

Material name: BLACKBERRY FLAVOR NAT & ART

Directive 92/85/EEC: on the safety and health of pregnant workers and workers who have recently given birth or are breastfeeding, as amended

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances

Not listed.

Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work, as amended

Not listed.

Directive 94/33/EC on the protection of young people at work, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with EC directives or respective national laws.

This Safety Data Sheet complies with the requirements of Regulation (EC) No 1907/2006.

National regulations Follow national regulation for work with chemical agents.

15.2. Chemical safety

assessment

No Chemical Safety Assessment has been carried out.

SECTION 16: Other information

List of abbreviations Not available.

References Not available.

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any statements or R-phrases and H-statements

under Sections 2 to 15 R22 Harmful if swallowed.

H302 Harmful if swallowed.

Revision informationComposition / Information on Ingredients: Disclosure Overrides **Training information**Follow training instructions when handling this material.

Disclaimer Capella Flavors, Inc. cannot anticipate all conditions under which this information and its product, or

the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Material name: BLACKBERRY FLAVOR NAT & ART

CA1400 Version #: 03 Revision date: 12-July-2016 Issue date: 10-September-2015 7